



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>5</sup> :  C12N 1/04	AI	(11) International Publication Number: <b>WO 91/01366</b>  (43) International Publication Date: 7 February 1991 (07.02.91)
<p>(21) International Application Number: PCT/GB90/01093</p> <p>(22) International Filing Date: 16 July 1990 (16.07.90)</p> <p>(30) Priority data: 8916152.5 14 July 1989 (14.07.89) GB</p> <p>(71) Applicants (for all designated States except US): ABT APPLIED BIOTECHNOLOGIES LIMITED [GB/GB]; Pannell Kerr Forster, Trinity House, Bath Street, St Helier, Jersey (GB). SECOPRO INTERNATIONAL LIMITED [GB/GB]; 78 Matton Gardens, London EC1N 8JA (GB).</p> <p>(72) Inventor; and (75) Inventor/Applicant (for US only): HORSFALL, Frank, L., III [US/US]; 14721 Southwoodland Road, Shaker Heights, OH 44120 (US).</p>	<p>(74) Agent: SMITH, Martin, Stanley; Stevens, Hewlett &amp; Perkins, 5 Quality Court, Chancery Lane, London WC2A 1HZ (GB).</p> <p>(81) Designated States: AT (European patent), AU, BE (European patent), CA, CH (European patent), DE (European patent)*, DK (European patent), ES (European patent), FR (European patent), GB (European patent), IT (European patent), JP, LU (European patent), NL (European patent), SE (European patent), US.</p> <p>Published With international search report.</p>	
<p>(54) Title: A METHOD FOR STABILISING BACTERIA BY CENTRIFUGING TO A NON-AQUEOUS PASTE</p> <p>(57) Abstract</p> <p>There is provided a method of stabilising bacteria present in an aqueous growth medium the method consisting in separating the bacteria from the growth medium by centrifuging to make a non-aqueous bacterial paste and storing the paste in a protective environment. The paste may be centrifuged into an impermeable sheath to make a sausage or may be resuspended in liquid and perhaps encapsulated in gelatin.</p>		

# **DESIGNATIONS OF "DE"**

Until further notice, any designation of "DE" in any international application whose international filing date is prior to October 3, 1990, shall have effect in the territory of the Federal Republic of Germany with the exception of the territory of the former German Democratic Republic.

## **FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	ES	Spain	MC	Monaco
AU	Australia	FI	Finland	MG	Madagascar
BB	Barbados	FR	France	ML	Mali
BE	Belgium	GA	Gabon	MR	Mauritania
BF	Burkina Faso	GB	United Kingdom	MW	Malawi
BG	Bulgaria	GR	Greece	NL	Netherlands
BJ	Benin	HU	Hungary	NO	Norway
BR	Brazil	IT	Italy	RO	Romania
CA	Canada	JP	Japan	SD	Sudan
CF	Central African Republic	KP	Democratic People's Republic of Korea	SE	Sweden
CG	Congo	KR	Republic of Korea	SN	Senegal
CH	Switzerland	LJ	Liechtenstein	SU	Soviet Union
CM	Cameroon	LK	Sri Lanka	TD	Chad
DE	Germany, Federal Republic of	LU	Luxembourg	TC	Togo
DK	Denmark			US	United States of America

A method for stabilising bacteria by centrifuging to a non-aqueous paste.

Once bacteria have completed their growth cycle in a particular medium or environment, they will either start dying or form a spore which can withstand long periods of starvation, dehydration, or extremes of temperatures. Since most types of bacteria cannot form environmentally resistant spores, their viability can be enhanced only by finding conditions or chemicals which prevent or at least decrease their rate of dying. Examples of chemicals which can sustain non-spore-forming bacteria from decomposition with time have been patented previously by Horsfall et al in 1976 using aqueous sulfide levels and by Wong et al in 1987 using aqueous azide levels. These inhibitory chemicals caused nonsporulating bacteria to remain viable over long periods of time without bacterial lysis, cell death from disintegration of the cell wall. In addition, recovery from long term storage was rapid from these aqueous suspensions of sulfide and azide. This is in contrast to the much slower recovery of viability from lyophilization, freeze-drying, or air drying of the bacteria either in the presence of some support media like bran or cereal or without any supplemental media at all.

These chemical systems for rendering bacteria dormant are simple to administer and provide an aqueous suspension ready to use and apply to the desired process. Their main disadvantage is that the levels of bacteria within these suspensions are low, and relatively large volumes of water are a part of the product components. This causes difficulty both in storage, as the products are voluminous and heavy, and in shipping or transporting, as the cost of shipping large volumes of water is high.

In addition, the process of sporulation, as

-2-

well as bacterial growth during the last stages of food or nutrient consumption, can involve the production of extracellular enzymes from the bacterial cytoplasm or from excretion. The purpose of these enzymes can be to create food for the bacteria from particulate organic matter. Since these enzymes can attack the components of the bacterial cell wall, their presence is deleterious to any but rapidly growing and reproducing bacteria. It would be a distinct advantage to be able to store bacteria grown to high levels and in the presence of these exoenzymes, free of their deleterious effects. Of course, removing totally the aqueous environment from the bacteria through freeze or air drying can accomplish this condition. This technique also concentrates all the salts as well as the enzymes and bacterial components of the system being dried. This may be one of the reasons for the high levels of bacterial death experienced during these drying techniques. The present invention seeks to provide an improvement.

According to the invention there is provided a method of stabilising bacteria present in an aqueous growth medium the method consisting in separating the bacteria from the growth medium by centrifuging to make a non-aqueous bacterial paste and storing the paste in a protective environment.

The protective environment may comprise an impermeable sheath made of Visking, Saran or like material. Alternatively, the protective environment may be liquid, preferably non-aqueous, but possibly aqueous and possibly water. Re-suspension of the paste in a liquid allows the bacteria to be very much more concentrated than in their original environment. Preferred non-aqueous liquids are glycerol, glycol or

-3-

the like.

The paste, either itself or when re-suspended in liquid, may be encapsulated in a non-permeable but dissolving or disintegrating degradable membrane such as gelatin.

One can remove the aqueous environment from the bacterial suspension without concentrating the existing level of any soluble component of the mixture by centrifuging the bacteria from their growth media. This will result in a bacteria-free solution and, more importantly, a bacterial paste almost totally free of water, salts and enzymes which would attack the bacterial cells and decrease viability considerably.

Because bacteria have a wet weight of about 10<sup>-12</sup> grams per cell, the bacterial paste would contain 10<sup>12</sup> cells per gram or 10<sup>15</sup> cells per kilogram of paste. Since such a paste could provide for many volumes of bacterial suspension containing a bacterial concentration or level of one hundred million (10<sup>8</sup>) cells per milliliter, for example, one kilogram of such a paste containing 10<sup>15</sup> cells would make ten thousand (10<sup>4</sup>) liters of such a suspension. Thus a paste weighing one kilogram (two and two tenths pounds) would substitute for a shipping container of the above aqueous suspension shipped as such. The cost differential would be several thousand dollars based upon sea freight rates. The air freight rate differential would be very considerable.

The preparation of such a paste is critical to retain bacterial viability and longevity. The centrifuged paste must be kept cool, free from evaporative losses and free from oxygen. To do this, it is necessary to use a continuous flow centrifuge such as a Sharples and an insert within the centrifuge made of a material like Visking or Saran so the

-4-

bacteria are deposited inside a cylindrical sheath as one would pack a sausage. The process described would produce a bacterial paste contained inside an impervious casing which would not age, since the aqueous environment, the enzymes, the nutrients, and the salts would be removed during the centrifugation process and remain with the water phase. Because the food for the bacteria remains in the aqueous concentrate, one could stop bacterial growth at any stage of its development, centrifuge them and retain the bacteria free of any environmental influence until resuspension of the bacteria back into an aqueous suspension which could be accomplished using a simple food blender like a commercially available Waring or Oster machine. Storage of the so-called bacterial sausages prepared by centrifugation could easily be accomplished in a commercial refrigerator and since the tubing would prevent dehydration (Saran being impervious to water), the refrigerator would not dehydrate the contents beyond the degree accomplished by the centrifuge.

In order to utilize the bacterial mixture present in the sausage as a bacterial seed to grow a new culture, a section could be cut from the sausage and added to whatever growth medium one wished to use. Then bacterial growth could be initiated using methods any microbiologist would be competent to implement.

Such bacterial sausage preparations can be used for many purposes especially pertaining to but not limited to the wastewater treatment industry such as:

- 1) Preparation of mixed cultures for general wastewater or other type of treatment.
- 2) Maintaining cultures of bacteria from existing facilities that may from time to time be subject to toxic or conditional shock. These

-5-

- stored cultures would provide a means of immediate on site relief from such eventualities by having immediately usable bacteria with which to grow a dense seed culture to be introduced into the plant.
- 5
- 3) Specialised preparations of mixtures of bacteria could be prepared using both the bacteria natural to the existing facility and those deemed to be needed to supplement the natural bacteria in that facility. Such a
- 10
- sausage could function to restart a treatment plant severally affected by conditions or toxic problems or as a supplemental seed to optimise and enhance operations of the plant on a regular and continuous basis.
- 15
- 4) The sausage provides a means to be able to transport huge numbers of viable bacteria in a concentrated and immediately available form from one site to another, even across vast distances at minimal expense.
- 20

Since the bacterial suspension in the sausage is free, for all intents and purposes, of food and water, the possibility of additional growth or death is virtually eliminated and a stable, yet immediately available, bacterial mixture is at hand.

25

Once a bacterial paste has been produced as described above, a highly concentrated bacterial mixture is available for use as a system to provide needed functions and capabilities to a facility. Such

30

a system could be further enhanced by a method for rendering bacteria dormant and the subsequent products produced thereby in a non-aqueous media described below.

The capability to distribute bacteria in concentrated form into sediments at the bottom of

35

-6-

receiving bodies of water, treatment facilities, or  
aquaculture processes would provide a major advantage  
for the treatment and removal of those sediments.  
Systems now available rely primarily upon the physical  
5 injection of the bacteria into such systems as  
described above. If one could incorporate the  
bacteria prepared as a centrifuged paste into a liquid  
medium that was non-aqueous, denser than water, and  
yet readily soluble or miscible in water, the  
10 storage, distribution and utilisation of the bacteria  
would be enhanced considerably. There are several  
examples of such liquids available that would provide  
minimum effect on the environment and yet supply the  
needed prerequisite of a liquid system totally  
15 miscible with water. Some are:

glycerol - glycerin  
ethylene glycol  
1,2-propylene glycol  
1,3-propylene glycol.

20 Introducing the bacteria from a paste into such  
media would result in a stable suspension because,  
even though these liquid media are biodegradable,  
there would be neither water nor nutrients available  
for bacterial growth in their preparation.

25 The growth of bacteria or, for that matter, any  
living form, requires four basic ingredients; carbon,  
nitrogen, phosphorus, and water. Since the bacteria  
have been centrifuged away from the nutrients used for  
their growth and most of the water in which they were  
30 growing, resuspending them in an anhydrous liquid,  
like glycerol, for example, will not provide the  
needed conditions for their growth, since neither  
nitrogen, phosphorus, nor water is part of glycerol,  
ethylene glycol, or the various isomers of propylene  
35 glycol. The bacterial suspensions which are formed



-7-

from the bacterial paste added to the non-aqueous, anhydrous liquids will be deficient in the nutrients necessary for bacterial growth and replication until they are added to a growth sustaining system. The stability of the system is provided by the growth limiting and anhydrous condition of the liquid suspension itself.

Since these liquids are totally miscible with water, the liquid suspension of bacteria produced with these materials would be immediately dispersed once introduced into an aqueous environment. Growth would ensue if the necessary nutrients like phosphorus and nitrogen were available. The original organic liquid used to create the suspension would then serve as a food source for the initiation of bacterial growth in the new aqueous environment until it was diluted beyond utility or consumed. Thus, once a growth sustaining environment is created for the bacteria, they will proceed to grow and reproduce once again, providing the cleaning functions of their metabolic capabilities. This technique holds the bacteria viably in a state of suspended animation until they are needed, fully capable of reactivation by the simplest procedure of direct introduction into a growth sustaining environment.

The characteristics of the four liquid suspending chemicals chosen as examples herein are as follows:

Compound	density	m.p.	b.p.	solubility
Glycerol	1.269	20	290	infinite H <sub>2</sub> O
Ethylene Glycol	1.1088	-11.5	199	infinite H <sub>2</sub> O
1,2-Propylene Glycol	1.0361	-	189	infinite H <sub>2</sub> O
1,3-Propylene Glycol	1.0597	-	213.5	infinite H <sub>2</sub> O

These characteristics provide the suspension with several important capabilities.

- 1) It will not freeze at 0 degrees C, or even -20

-8-

degrees C.

- 2) It will not vaporise or boil at 100 degrees C.
- 3) It is not harmful to humans to handle and, in some cases, it may even be injected.
- 5 4) It is not inhibitory to bacterial growth at all.
- 5) It provides long term storage capability.

Once the bacterial suspensions described above have been created, liquid systems more dense than any known body of water on earth are on hand. There will be times when it will be advantageous to be able to introduce these bacterial suspensions into the organic muck layer at the bottom of a water body. To accomplish this a medium must exist to prevent the bacterial suspension from being dissolved by the water and just carried away with it. In fact it may be useful to be able to introduce these suspensions of bacteria into any system in which a slow release of the bacteria is deemed necessary. Without a suitable shell to prevent the dissolution of the suspending liquid, such a process is not possible. A method for incorporating bacteria suspended in a substance more dense than fresh or sea water into a form to provide a system for slow delivery is hereby described.

25 Encapsulating the liquid suspension produced using a material like gelatin which would allow a slow release of the bacterial suspension over time after the encapsulated liquid had sunk to the bottom of the water body would provide just the necessary system to allow for isolated use of the liquid suspension. Of course any solid or semi-solid coating that would allow a period of time to elapse before allowing the release of the liquid suspension contained within it would suffice. One could imagine a number of different coatings to accomplish this end. The basic

-9-

requirement for the coating would have to be limited solubility in water and insolubility in the liquid used to create the suspension of bacteria it coated. Since such systems are readily available commercially and in use in the manufacture of pills like vitamins they will not be discussed herein. In the case of glycerol, for example, a capsule similar to that sold as Vitamin E would be entirely sufficient.

10

15

20

25

30

35

-10-

CLAIMS

1. A method of stabilising bacteria present in an aqueous growth medium the method consisting in  
5 separating the bacteria from the growth medium by centrifuging to make a non-aqueous bacterial paste and storing the paste in a protective environment.
2. A method as claimed in claim 1 wherein the protective environment comprises an impermeable  
10 sheath.
3. A method as claimed in claim 1 wherein the sheath is made of the material Visking.
4. A method as claimed in claim 1 wherein the sheath is made of the material Saran.
- 15 5. A method as claimed in claim 1 wherein the protective environment is a liquid environment in which the paste is re-suspended.
6. A method as claimed in claim 5 wherein the liquid environment is aqueous.
- 20 7. A method as claimed in claim 6 wherein the liquid is water.
8. A method as claimed in claim 5 wherein the liquid environment is non-aqueous.
9. A method as claimed in claim 8 wherein the  
25 liquid is glycerol, glycol or the like.
10. A method as claimed in any of claims 5 to 9 wherein the liquid containing the paste is encapsulated in a non-permeable but dissolving or disintegrating degradable membrane.
- 30 11. A method as claimed in claim 10 wherein the membrane is gelatin or the like.
12. A bacterial preparation consisting of a non-aqueous bacterial paste derived by centrifuging contained within an impermeable sheath.
- 35 13. A bacterial preparation consisting of a non-

-11-

aqueous bacterial paste derived by centrifuging  
contain d in an non-aqueous liquid.

14. A bacterial preparation consisting of a non-  
aqueous bacterial paste derived by centrifuging re-  
5 suspended in water.

15. A bacterial preparation as claimed in claim 13  
or claim 14 within a capsule.

10

15

20

25

30

35

# INTERNATIONAL SEARCH REPORT

International Application No PCT/GB 90/01093

<b>I. CLASSIFICATION OF SUBJECT MATTER</b> (if several classification symbols apply, indicate all) <sup>6</sup> According to International Patent Classification (IPC) or to both National Classification and IPC <b>IPC5: C 12 N 1/04</b>														
<b>II. FIELDS SEARCHED</b> <div style="text-align: center; border-top: 1px solid black; border-bottom: 1px solid black;">Minimum Documentation Searched<sup>7</sup></div> <table style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 25%; border-bottom: 1px solid black;">Classification System</th> <th style="border-bottom: 1px solid black;">Classification Symbols</th> </tr> <tr> <td style="padding: 5px;"><b>IPC5</b></td> <td style="padding: 5px;"><b>C 12 N</b></td> </tr> </table> <div style="text-align: center; border-top: 1px solid black; border-bottom: 1px solid black;">Documentation Searched other than Minimum Documentation to the extent that such Documents are included in Fields Searched<sup>8</sup></div>			Classification System	Classification Symbols	<b>IPC5</b>	<b>C 12 N</b>								
Classification System	Classification Symbols													
<b>IPC5</b>	<b>C 12 N</b>													
<b>III. DOCUMENTS CONSIDERED TO BE RELEVANT<sup>9</sup></b> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%; padding: 5px;">Category<sup>10</sup></th> <th style="width: 60%; padding: 5px;">Citation of Document,<sup>11</sup> with indication, where appropriate, of the relevant passages<sup>12</sup></th> <th style="width: 30%; padding: 5px;">Relevant to Claim No.<sup>13</sup></th> </tr> </thead> <tbody> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">A</td> <td style="padding: 5px;">DE, C, 513511 (O.K. SAUER) 28 November 1930, see the whole document  --</td> <td style="text-align: center; vertical-align: top; padding: 5px;">1,5, 14</td> </tr> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">A</td> <td style="padding: 5px;">FR, A, 1272116 (M.L.H. HUBLOT ET AL) 9 August 1960, see the whole document  --</td> <td style="text-align: center; vertical-align: top; padding: 5px;">2-4,10- 13</td> </tr> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">A</td> <td style="padding: 5px;">EP, A2, 0202409 (MILES LABORATORIES, INC.) 26 November 1986, see claim 6 and 7  --  -----</td> <td style="text-align: center; vertical-align: top; padding: 5px;">11</td> </tr> </tbody> </table>			Category <sup>10</sup>	Citation of Document, <sup>11</sup> with indication, where appropriate, of the relevant passages <sup>12</sup>	Relevant to Claim No. <sup>13</sup>	A	DE, C, 513511 (O.K. SAUER) 28 November 1930, see the whole document  --	1,5, 14	A	FR, A, 1272116 (M.L.H. HUBLOT ET AL) 9 August 1960, see the whole document  --	2-4,10- 13	A	EP, A2, 0202409 (MILES LABORATORIES, INC.) 26 November 1986, see claim 6 and 7  --  -----	11
Category <sup>10</sup>	Citation of Document, <sup>11</sup> with indication, where appropriate, of the relevant passages <sup>12</sup>	Relevant to Claim No. <sup>13</sup>												
A	DE, C, 513511 (O.K. SAUER) 28 November 1930, see the whole document  --	1,5, 14												
A	FR, A, 1272116 (M.L.H. HUBLOT ET AL) 9 August 1960, see the whole document  --	2-4,10- 13												
A	EP, A2, 0202409 (MILES LABORATORIES, INC.) 26 November 1986, see claim 6 and 7  --  -----	11												
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p><sup>10</sup> Special categories of cited documents:</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> </div> <div style="width: 45%;"> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance, the claimed invention cannot be considered novel or cannot be considered to involve an inventive step</p> <p>"Y" document of particular relevance, the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art</p> <p>"A" document member of the same patent family</p> </div> </div>														
<b>IV. CERTIFICATION</b> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; border-bottom: 1px solid black; padding: 5px;">           Date of the Actual Completion of the International Search  <b>2nd October 1990</b> </td> <td style="width: 50%; border-bottom: 1px solid black; padding: 5px;">           Date of Mailing of this International Search Report  <b>29 OCT 1990</b> </td> </tr> <tr> <td style="border-bottom: 1px solid black; padding: 5px;">           International Searching Authority  <b>EUROPEAN PATENT OFFICE</b> </td> <td style="border-bottom: 1px solid black; padding: 5px;">           Signature of Authorized Officer  <b>Mme N. KUIPER</b> </td> </tr> </table>			Date of the Actual Completion of the International Search <b>2nd October 1990</b>	Date of Mailing of this International Search Report <b>29 OCT 1990</b>	International Searching Authority <b>EUROPEAN PATENT OFFICE</b>	Signature of Authorized Officer <b>Mme N. KUIPER</b>								
Date of the Actual Completion of the International Search <b>2nd October 1990</b>	Date of Mailing of this International Search Report <b>29 OCT 1990</b>													
International Searching Authority <b>EUROPEAN PATENT OFFICE</b>	Signature of Authorized Officer <b>Mme N. KUIPER</b>													

ANNEX TO THE INTERNATIONAL SEARCH REPORT  
ON INTERNATIONAL PATENT APPLICATION NO. PCT/GB 90/01093

SA 38604

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report.  
The members are as contained in the European Patent Office EDP file on 28/08/90  
The European Patent office is in no way liable for these particulars which are merely given for the purpose of information.

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
DE-C- 513511	28/11/30	NONE	
FR-A- 1272116	09/08/60	NONE	
EP-A2- 0202409	26/11/86	JP-A- 61219380	29/09/86

For more details about this annex: see Official Journal of the European patent office, No. 12/82

# THE NATIONAL BOARD OF DIRECTORS OF THE AMERICAN RED CROSS

OFFICE OF THE SECRETARY  
1515 K STREET, N.W.  
WASHINGTON, D. C. 20005

MEMORANDUM FOR THE BOARD OF DIRECTORS  
SUBJECT: [Illegible]

DATE: [Illegible]

TO: [Illegible]

FROM: [Illegible]

RE: [Illegible]

[Illegible]

[Illegible]

[Illegible]

[Illegible]

[Illegible]

[Illegible]

[Illegible]

[Illegible]

[Illegible]

[Illegible]

[Illegible]

[Illegible]

[Illegible]

[Illegible]

[Illegible]

[Illegible]

[Illegible]

[Illegible]

[Illegible]

[Illegible]